

PUBLICATION LIST: PERIMETRY

Last update: November 2008

All numbers in this list refer to the 'Publication list' of Josef Flammer.

You can order reprints or PDF-files of these publications by simply e-mailing Ms. Daniela Hauenstein: dhauenstein(at)uhbs.ch.

Please just briefly state the number of the publication in the list when you contact her.

16. P. Niesel, J. Flammer: Correlations between intraocular pressure, visual field and acuity, based on 11 years observations of treated chronic glaucomas. *Int Ophthalmol* 3:31-35 (1980)
17. J. Flammer, G. Nagel, A. Glowazki, H.R. Moser, F. Fankhauser: Detection and definition of scotomata of the central visual field by computer methods. *Doc Ophthalmol Proc Series* 26:33-41 (1981)
19. O. Meienberg, J. Flammer, H.P. Ludin: Subclinical visual field defects in multiple sclerosis. *J Neurol* 227:125-133 (1982)
20. J. Flammer, E. Eppler, P. Niesel: Die quantitative Perimetrie beim Glaukompatienten ohne lokale Gesichtsfelddefekte. *Graefe's Arch Clin Exp Ophthalmol* 219:92-94 (1982)
21. J. Flammer, S.M. Drance, A. Jenni, H. Bebié: JO and STATJO: programs for investigating the visual field with the Octopus automatic perimeter. *Can J Ophthalmol* 18:115-117 (1983)
22. A. Jenni, J. Flammer, A. Funkhouser, F. Fankhauser: Special Octopus software for clinical investigation. *Doc Ophthalmol Proc Series* 35: 351-356 (1983)
23. J. Flammer, S.M. Drance: The effect of a number of glaucoma medications on the differential light threshold. *Doc Ophthalmol Proc Series* 35:145-148 (1983)
24. J. Flammer, S.M. Drance, M. Schulzer: The estimation and testing of the components of long-term fluctuation of the differential light threshold. *Doc Ophthalmol Proc Series* 35:383-389 (1983)
25. J. Flammer, S.M. Drance: The effect of Acetazolamide on the differential threshold. *Arch Ophthalmol* 101:1378-1380 (1983)
26. J. Flammer, S.M. Drance: Reversibility of a glaucomatous visual field defect after Acetazolamide therapy. *Can J Ophthalmol* 18:139-141 (1983)
27. J. Flammer, S.M. Drance: Correlation between colour vision scores and quantitative perimetry in glaucoma suspects. *Arch Ophthalmol* 102: 38-39 (1984)
28. J. Flammer, S.M. Drance, M. Zulauf: Differential light threshold. Short- and long-term fluctuation in patients with glaucoma, normal controls and patients with suspected glaucoma. *Arch Ophthalmol* 102:704-706 (1984)
29. J. Flammer, S.M. Drance, M. Schulzer: Covariates of the long-term fluctuation of the differential light threshold. *Arch Ophthalmol* 102: 880-882 (1984)
30. J. Flammer: Diffuse visual field damage in glaucoma. In: Ticho, U. und David, R. (Eds.): *Recent advances in glaucoma. Excerpta Medica, International Congress Series* 636:9-12 (1984).
31. J. Flammer: Bedeutung des Gesichtsfeldes bei der okulären Hypertension im Rahmen der verschiedenen psychophysiologischen Tests. In: Krieglstein, G.K. und Leydhecker, W. (Hrsg.): *Okuläre Hypertension. Kaden Verlag, Heidelberg* 81-82 (1984).
32. J. Flammer: Vermehrte Fluktuation der perimetrischen Untersuchungsergebnisse bei okulärer Hypertension. In: Krieglstein, G.K. und Leydhecker, W. (Hrsg.): *Okuläre Hypertension. Kaden Verlag, Heidelberg* 79-80 (1984).
33. J. Flammer, S.M. Drance, F. Fankhauser, L. Augustiny: The differential light threshold in automatic static perimetry. Factors influencing short-term fluctuation. *Arch Ophthalmol* 102:876-879 (1984)
34. J. Flammer, P. Niesel: Die Reproduzierbarkeit perimetrischer Untersuchungsergebnisse. *Klin Mbl Augenheilk* 184:374-376 (1984)
38. J. Flammer: The Octopus glaucoma program G1. *Proceedings of the Third Octopus Users' Society Meeting, Interzeag Schlieren* 25 (1984)
39. J. Flammer, S.M. Drance, L. Augustiny, A. Funkhouser: Quantification of glaucomatous visual field defects with automated perimetry. *Invest Ophthalmol Vis Sci* 26:176-181 (1985)
40. J. Flammer, S.M. Drance, L. Augustiny, A. Funkhouser: Quantification of glaucomatous visual field defects with automated perimetry. *Chibret Internat J of Ophthalmol* 3:2-9 (1985)

41. J. Flammer: Sinnesphysiologische Untersuchungen (ausser der Perimetrie) beim Glaukom. *Z für prakt Augenheilk* 6:350-352 (1985)
42. J. Flammer, M. Zulauf: The frequency distribution of the deviations in static perimetry. *Doc Ophthalmol Proc Series* 42:17-24 (1985)
43. O. Meienberg, H. Mattle, A. Jenni, J. Flammer: Quantitative versus semiquantitative perimetry in neurological disorders. *Doc Ophthalmol Proc Series* 42:233-237 (1985)
44. L. Augustiny, J. Flammer: The influence of artificially induced visual field defects on the visual field indices. *Doc Ophthalmol Proc Series* 42:55-67 (1985)
45. J. Flammer: Fluctuations in the visual field. In: Drance, S.M. und Anderson, D.R. (Hrsg.): *Automated perimetry in glaucoma*. Grune and Stratton, Orlando 161-173 (1985)
46. J. Flammer: Psychophysics in glaucoma. A modified concept of the disease. In: E.L. Greve, W. Leydhecker und C. Raitta (Eds.): *Proceedings of the European Glaucoma Society, Second European Glaucoma Symposium, Helsinki 1984*. Dr. W. Junk Publishers, Dordrecht, 11-17 (1985)
47. J. Flammer: Fluctuations in computerized perimetry. In: Whalen, W.R. und Spaeth, G.L. (Eds.): *Computerized visual fields*. Slack, Inc., Thorofare, N.J. 45-58 (1985)
48. J. Flammer: Normal values in computerized perimetry. In: Whalen, W.R. und Spaeth, G.L. (Eds.): *Computerized visual fields*. Slack, Inc., Thorofare, N.J. 159-164 (1985)
49. A. Haas, J. Flammer: Influence of diazepam on the outcome of automated perimetry. Heijl, A. and Greve, E.L. (Eds.), *Proceedings of the 6th Int. Visual Field Symposium, 1985*, Dr. W. Junk Publishers, Dordrecht, ISBN 90-6193-524-5 (1986)
50. A. Haas, J. Flammer, U. Schneider: Influence of age on the visual fields of normal subjects. *Am J Ophthalmol* 101:199-203 (1986)
53. U. Guthauser, J. Flammer, W. Lothmar, P. Niesel: Einfluss der Katarakt auf das Gesichtsfeld. *Klin Mbl Augenheilk* 188:409-411 (1986)
57. M. Zulauf, J. Flammer, C. Signer: The influence of alcohol on the outcome of automated perimetry. *Graefe's Arch Clin Exp Ophthalmol* 224:525-528 (1986)
58. J. Flammer, R. Etienne: The effect of beta-blockers on differential light sensitivity. Preliminary results. *Proceedings of the Japanese Association for Research in Glaucoma*. 51-53 (1986)
59. U. Guthauser, J. Flammer, P. Niesel: Relationship between the visual field and the optic nerve head in glaucomas. *Graefe's Arch Clin Exp Ophthalmol* 225:129-132 (1986)
60. J. Flammer: Theoretische Grundlagen der automatischen Perimetrie. In: Gloor, B. (Hrsg.): *Automatische Perimetrie*, Bücherei des Augenarztes, Band 110, Enke Verlag, Stuttgart. 1-31 (1987)
61. J. Flammer: The concept of visual field indices. *Graefe's Arch Clin Exp Ophthalmol* 224:389-392 (1987)
62. J. Flammer, A. Jenni, H. Bebié, B. Keller: The Octopus glaucoma G1 program, *Glaucoma* 9:67-72 (1987)
63. J. Flammer, Y. Robert, B. Gloor: The influence of pindolol and timolol treatment on the visual fields of glaucoma patients. *J Ocul Pharmacol* 2:305-311 (1987)
- 64a) J. Flammer: Les caracteristiques du champ visuel glaucomateux. In: Béchetoille, A.: *Le glaucome*, Japperenard, Angers 130-131 (1987)
- 64b) J. Flammer: Perimetrische Frühveränderungen beim Glaukom: *Z für prakt Augenheilk* 8:385-387 (1987)
65. P. Gasser, J. Flammer: Influence of vasospasm on visual function. *Doc Ophthalmol* 66:3-18 (1987)
66. A. Glowazki, J. Flammer: Is there a difference between glaucoma patients with rather localized visual field damage and patients with more diffuse visual field damage? In Greve E.L., Heijl A. (Eds.) *7th International Visual Field Symposium* Dr. W. Junk Publisher, Dordrecht 317-320 (1987)
68. U. Guthauser, J. Flammer, P. Niesel: The relationship between cataract density and visual field damage. In Greve E.L., Heijl A. (Eds.) *7th International Visual Field Symposium*, Dr. W. Junk Publisher, Dordrecht 39-41 (1987)
69. F. Jenni, J. Flammer: Experience with the reliability parameter of the Octopus automated perimeter. *Doc Ophthalmol Proc Series* 49:601-603 (1987)
70. Ch. Rutishauser, J. Flammer: Selective retests in automated perimetry. An experimental study for the evaluation of the effects of the regression to the mean. *Doc Ophthalmol Proc Series* 49:629-632 (1987)
72. A. Glowazki, J. Flammer: Kriterien für die Programmwahl bei der automatischen Perimetrie. In: Gloor B. (Hrsg.): *Automatische Perimetrie*. Bücherei des Augenarztes, Band 110, Enke Verlag, Stuttgart, 136-156 (1987)

74. M. Zulauf, J. Flammer, D. Petrovic: Korrelation von Kontrastempfindlichkeit und Gesichtsfeld bei Glaukompatienten. Erste Resultate. *Klin Mbl Augenheilk* 190:303-304 (1987)
75. J. Flammer: Das Glaukomgesichtsfeld. *Augenärztliche Fortbildung* 10: 103-108 (1987)
76. J. Flammer: The visual field defects in glaucoma. *Brit J Clinical Practice* 41(6): 45-49 (1987)
80. J. Flammer, H. Bebie: Influence of age on quantitative perimetry. *Arch Ophthalmol* 105:24 (1987)
82. C. Rutishauser, J. Flammer: Retests in static perimetry. *Graefe's Arch Clin Exp Ophthalmol* 226:75-77 (1988)
90. F. Fankhauser, H. Bebie, J. Flammer: Threshold fluctuations in the Humphrey Field Analyzer and in the Octopus automated perimeter. *Invest Ophthalmol Vis Sci* 29: 1466 (1988)
91. H. Bebié, J. Flammer, Th. Bebié: The cumulative defect curve: separation of local and diffuse components of visual field damage. *Graefe's Arch Clin Exp Ophthalmol* 227:9-12 (1989)
93. I. Haefliger, J. Flammer: Increase of the short-term fluctuation of the differential light threshold around a physiologic scotoma. *Am J Ophthalmol* 107:417-420 (1989)
94. P.A. Rabineau, J. Flammer: Fehlerquellen in der automatisierten statischen Perimetrie. *Klin Mbl Augenheilk* 194:307-319 (1989)
95. H. Kaufmann, J. Flammer: Graphische und numerische Befunddarstellung von Gesichtsfeldern. *Klin Mbl Augenheilk* 194:322-324 (1989)
96. R. De Natale, J. Flammer: The relationship between the lens opacity meter 701 readings and the visual field. In: Heijl A.: *Perimetry Update 88/89*. 455-457. Kugler & Ghedini, Amstelveen (1989)
97. M. Zulauf, J. Flammer: Visual field indices and their correlation with static contrast sensitivity in glaucoma. In: Heijl A.: *Perimetry Update 88/89*. 303. Kugler & Ghedini, (1989)
98. H. Kaufmann, J. Flammer: Clinical experience with the Bebié-curve. In: Heijl A.: *Perimetry Update 88/89*. 235-238. Kugler & Ghedini, Amstelveen (1989)
99. Ch. Prünke, J. Flammer: Choroidal angiography findings in patients with glaucoma-like visual field defects. In: Heijl A.: *Perimetry Update 88/89*, 325-327. Kugler & Ghedini, Amstelveen (1989)
103. H. Kaufmann, J. Flammer: Das Octopus-Programm G1 als Glaukomprogramm: *Augenärztliche Fortbildung* 12:143-149 (1989)
104. C. Rutishauser, J. Flammer, A. Haas: The distribution of normal values in automated perimetry: *Graefe's Arch Clin Exp Ophthalmol* 227:513-517 (1989)
105. H. Kaufmann, J. Flammer: Die Bebié-Kurve (kumulative Defektkurve) zur Differenzierung von lokalen und diffusen Gesichtsfelddefekten. *Fortschr Ophthalmol* 86:687-691 (1989)
106. K. Yao, J. Flammer: New advances in automated perimetry. *J Foreign Med (Ophthalmology, in Chinese)* 5:300-305 (1989)
107. H. Kaufmann, J. Flammer, Ch. Rutishauser: Evaluation of visual fields by ophthalmologists and by the Octosmart program. *Ophthalmologia* 201: 104-109 (1990)
109. J. Flammer: Automatische Perimetrie. *Therapeutische Umschau* 47: 298-302 (1990)
117. P.J.M. Bucher, J. Flammer: Das OCTOPUS Programm G1 für die Gesichtsfelduntersuchung beim Glaukom. *Oculus* 1:12 (1990)
118. P. Gasser, J. Flammer: Short- and long-term effect of Nifedipine on the visual field in patients with presumed vasospasm. *J Int Med Res* 18: 334-339 (1990)
121. Ch. Messmer, J. Flammer, H. Bebié: Octopus program G1X. In: Mills R.P. and Heijl A. (Eds.): *Perimetry Update 1990/91*, 365. Kugler Publications, Amstelveen (1991)
124. Ch. Messmer, D. Stümpfig, J. Flammer: Einfluss von Betaxolol und Timolol auf das Gesichtsfeld bei Glaukompatienten. *Klin Mbl Augenheilk* 198:330-331 (1991)
125. H.J. Kaiser, J. Flammer: Contemporary clinical evaluation of the visual fields in glaucoma. In: J. Caprioli: *Contemporary Issues in Glaucoma of Ophthalmology Clinics of North America* 4:659-669 (1991)
127. G. Marra, J. Flammer: The learning and fatigue effect in automated perimetry. *Graefe's Arch Clin Exp Ophthalmol* 229:501-504 (1991)
132. I.O. Haefliger, J. Flammer: Fluctuation of the differential light threshold at the border of absolute scotomas. Comparison between glaucomatous visual field defects and blind spots. *Ophthalmol* 98:1529-1532 (1991)
133. Ch. Messmer, J. Flammer, D. Stümpfig: Influence of betaxolol and timolol on the visual fields of patients with glaucoma. *Am J Ophthalmol* 112:678-681 (1991)

134. Ch. Messmer, J. Flammer: Octopus Program G1X. *Ophthalmologia* 203: 184-188 (1991)
135. H.J. Kaiser, J. Flammer: *Gesichtsfeldatlas*, Buser Druck, Basel (1991). Englische Übersetzung 1992, Spanische Übersetzung 1993
138. H.J. Kaiser, J. Flammer, D. Stämpfig: Die Bedeutung des peripheren Gesichtsfeldes für die Glaukomdiagnostik. *Klin Mbl Augenheilkd* 200, 17-20 (1992)
141. H.J. Kaiser, J. Flammer: Die Cupolafreie Computer-Perimetrie. *Spektrum Augenheilkd* 6/2:53-56 (1992)
143. H.J. Kaiser, J. Flammer, P. Jordan: The Importance of the Peripheral Visual Field for the Diagnosis of Glaucoma. *New Trends in Ophthalmology* 2: 161-163 (1992)
144. J. Flammer, Y. Kitazawa, L. Bonomi, B. Mills, M. Fsadni, M.T. Dorigo, S. Shirato, B. Journel, B. Chauvy, B. Chevallier, F. Guillou, F. Valtot, Ch. Prünke: Influence of Carteolol and Timolol on IOP and visual fields in glaucoma: a multi-center, double-masked, prospective study. *Eur J Ophthalmol* 2: 169-174 (1992)
145. H.J. Kaiser, P. Gasser, A. Lietz und J. Flammer: Das Gesichtsfeld bei Patienten mit arterieller Hypertonie. *Spektrum Augenheilkd* 6/3: 131-133 (1992)
147. H.J. Kaiser, J. Flammer, Ch. Messmer, D. Stämpfig, Ph. Hendrickson: Thirty-Month Visual Field Follow-up of Glaucoma Patients Treated with Betablockers. *J Glaucoma* 1:153-155 (1992)
151. J. Flammer, Ph. Hendrickson, A. Lietz, D. Stämpfig: Swivel Arm Perimeter for Visual Field Testing in Different Body Positions. *Ophthalmologia* 206: 15-17 (1993)
154. M. Zulauf, J. Flammer: Correlation of spatial contrast sensitivity and visual fields in glaucoma. *Graefe's Arch* 231:146-150 (1993)
158. J. Flammer, J. Collignon-Brach, P. Demailly, A. Graves: Long-term visual field follow-up in betaxolol- and timolol-treated patients. *Perimetry Update* 92/93, 137-142. *Proceedings Xth Int Perimetric Society Meeting, Kyoto, (1992)*
162. J. Flammer: Automatische Perimetrie: Theoretische Grundlagen. In: B. Gloor: *PERIMETRIE mit besonderer Berücksichtigung der Automatischen Perimetrie*. Enke Verlag Stuttgart (1993)
163. A. Prünke-Glowazki, J. Flammer: Automatische Perimetrie: Programmwahl mit dem Octopus. In: B. Gloor: *PERIMETRIE mit besonderer Berücksichtigung der Automatischen Perimetrie*. Enke Verlag Stuttgart (1993)
164. K. Yao, J. Flammer: Relationship cataract density and visual field damage. *Europ J Ophthalmol* 1:1-5 (1993)
172. H.J. Kaiser, J. Flammer, P.J. Bucher, R.De Natale, D. Stämpfig, Ph. Hendrickson: High-Resolution Perimetry of the Central Visual Field: *Ophthalmologia* 208:10-14 (1994)
173. A.Z. Gaspar, J. Flammer, Ph. Hendrickson: Influence of nifedipine on the visual fields of patients with optic-nerve-head diseases. *Europ J Ophthalmol* 1:24-28 (1994)
174. H.J. Kaiser, H. Bebie, Ph. Hendrickson, J. Flammer: OCTOPUS 1-2-3-: the cupola-free perimeter: *New Trends in Ophthalmol* IX:5-8 (1994)
179. A.Z. Gaspar, J. Flammer, Ph. Hendrickson: Factors Influencing the Duration of a Perimetric Test. *Glaucoma* 16: 40-43 (1994)
183. M. Zulauf, J. Flammer, R.P. LeBlanc: Normal visual fields measured with Octopus-Program G1. I. Differential light sensitivity at individual test locations: *Graefe's Arch Clin Exp Ophthalmol* 232:509-515 (1994)
184. M. Zulauf, R.P. LeBlanc, J. Flammer: Normal visual fields measured with Octopus-Program G1.II. Global visual field indices: *Graefe's Arch Clin Exp Ophthalmol* 232:516-522 (1994)
191. A.Z. Gaspar, J. Flammer, Ph. Hendrickson: Influencia de Nifedipina en el campo visual en pacientes con distintas enfermedades de la cabeza del nervio optico. *Archivos de Oftalmologia* 69: 231-235 (994) Translated from: *Eur J Ophthalmol* 1:24-28 (1994)
192. A.Z. Gaspar, P. Gasser, J. Flammer: The Influence of Magnesium on Visual Field and Peripheral Vasospasm in Glaucoma. *Ophthalmologia* 209: 11-13 (1995)
194. O. Bergamin, S. Turtzchi, A. Schötzau, Ph. Hendrickson, J. Flammer, M. Zulauf: Pupil perimetry with the Octopus 1-2-3-: first experience. *Perimetry Update* 94/95, 125-129. *Proceedings XIth International Perimetric Society Meeting Washington, D.C., USA (1994)*
195. M. Zulauf, P. Fehlmann, J. Flammer: Efficiency of the standard Octopus bracketing procedure compared to that of the "dynamic strategy" of Weber. *Perimetry Update* 94/95, 263-264. *Proceedings XI th International Perimetric Society Meeting Washington, D.C., USA (1994)*
196. A.Z. Gaspar, J. Flammer, D. Stämpfig: Influence of trabeculectomy with mitomycin C on the visual field. *Perimetry Update* 94/95, 313-316. *Proceedings XI th International Perimetric Society Meeting Washington, D.C., USA (1994)*

200. A. Lietz, H.J. Kaiser, D. Stümpfig, J. Flammer: Influence of Posture on the Visual Field in Glaucoma Patients and Controls. *Ophthalmologia* 209:129-131 (1995)
211. H.J. Kaiser, J. Flammer: Optic nerve head-related visual fields. *Neuro-ophthalmology* 15:337-344 (1995)
225. M. Zulauf, P. Fehlmann, J. Flammer: Perimetrie mit der normalen Octopus-Strategie und der "Dynamischen" Strategie nach Weber. *Ophthalmologie* 93:420-427 (1996)
315. M. Zulauf, K. Sugimoto, A. Schötzau, O. Bergamin, J. Flammer: The optimal number of test locations in perimetry. *Proceedings of the International Octopus Users' Visual Field Symposium, Lugano Sept 98*, 77-82 (1999)